

Important: Throughout the spring and summer seasons our we do quote submissions on a first come first serve basis and work hard to do them right the first time. We believe in honoring our commitment to each customer that requests a quotation, therefore we can not consider demands for immediate quotations. We will generally be able turn quotations within 2-3 days. During peak season we will require up to 3-4 days to do a quotation.

Basic Information

Step 1.

First Name:

City of Installation:

State:

Email Address:

Last Name:

Contact Tel. #

(We do not call unless your email address is entered incorrectly)

(We have never sold or exchanged your email addresses or other information with any other company!)

Load Requirement Information

Step 2.

Your city building department is where building permits are issued from. You may or may not need an actual permit for your installation, and this is left as the sole responsibility of the homeowner. **It is our strong recommendation that you acquire your permit prior to purchase.** However, panel thickness, beam placements, beam size, distance between posts out front... all are a function of the load (**snow & wind**) that your cover will be subject to. Even though you may not require a permit, you will still need to contact them to get your local building code requirements so that we can supply you with the 'correct' materials!

Snow Load (lbs./sq.ft.):


Will you be getting a permit?

Wind Load (mph):

YES ☐

NO ☐

Our Terminology



Wall Dimensions & Details

LEFT SIDE Projection: ft. in.

RIGHT SIDE Projection: ft. in.

Total distance away from house wall

*I need only one projection wall **Left** ☐ **Right** ☐

(This is ONLY if you are putting the screen room in the "L" portion of the deck and attaching to a second wall)


Width: ft. in.

Total distance parallel to house wall

Height at House: ft. in.

(measured from deck / patio to underside of proposed roof - on the house wall or to bottom of fascia board)

NOTE: Your front wall height can be calculated by knowing your height at the house and subtracting 1/4" per foot of projection out to where the front screen wall is to be built.



Step 4.

Are the screen walls to be installed inside existing handrails? **YES** ☐ **NO** ☐

Kickplate? **18" Kickplate** ☐ **24" Kickplate** ☐ **No Kickplate** ☐

*If the 'no kickplate' option is chosen, you will receive a 2" x 2" horizontal chair rail; to be installed at any height desired.

Frame Color? **White** ☐ **Bronze** ☐ **Clay** ☐



Doors

Do you want to supply your own door(s)? **YES** ☐ **NO** ☐ (Either way please be sure to indicate door placement (s) in the drawing on page 5)

Screening Standard fiberglass screening ☐ 60% Solar screening ☐
I want to supply my own screening ☐ Pet screening ☐

Other screening ...

See a full selection on our WEB site... https://www.homeporchandpatiokits.com/screening_selection.htm



request@homeporchandpatiokits.com



1.705.259.2264

Step 5.

Connection Details

Attached to fascia board* ☐

OR


Attached to House wall /
Ledger Board ☐

*If Attached to a fascia board, how wide is
your soffit | distance from wall to fascia board

ft. in.

Customer is responsible for the purchase of the
hardware (screws / lag bolts) necessary to secure
the C channel to the existing surface.

*Note that whether your C channel has a built-in pitch or not, your final
post height should be calculated using a pitch of 1/4" per foot of projection.



What kind of surface are the screen walls and roof supports attached to?

Wood/Trex Deck ☐ Cement Pad ☐

Step 6.

Roof Dimensions & Details

Your roof needs to be at least 6" larger, than your screen wall footprint, on all three sides.

Projection: (*away from house wall*) ft. in.
Including overhang past front screen wall.

Width: (*parallel to house wall*) ft. in.
Including overhang past side screen walls.

Height on House Wall or to Bottom of Fascia Board:

ft. in.

(From deck to the underside of roof installation point on wall or fascia board)

Desired Front Overhang: ft. in.

Amount of awning past the front beam & post assembly. Maximum
overhang is 3' or 25% of awning span - **whichever is less.**

Option:

You can have a 2" x 3" T5 Alloy fan beam
installed in the center length of one (or
more) roof panels to hang a ceiling fan or
run lighting wires.

Fan Beam Installation ☐

How Many? ☐



request@homeporchandpatiokits.com



1.705.259.2264

Roof Dimensions & Details

Roof Panel Colors

Roof Panel Color Selection

White ☐
Wheat ☐
Sand ☐
Eggshell ☐

Note: 2' wide roof panels are only available in white color.



Side Fascia & Front Gutter Color Selection

White ☐
Clay ☐
Bronze ☐

6" thick roof comes with white aluminum drip edge fascia only



Beam Color Selection

White ☐
Bronze ☐
Ivory ☐

Post Color Selection


White ☐
Bronze ☐
Ivory ☐

*Not all beam & post sizes available in all colors

House Wall Bumpouts

Distance **A** ft. in.
 Distance **B** ft. in.
 Distance **C** ft. in.
 Distance **D** ft. in.
 Distance **E** ft. in.

If you have a chimney or an inset to work your roof installation around please provide the following dimensions...



Door Placements

Check the box indicating your door placement as measured away from the house wall or measured away from the corner.


Then enter how far away from the wall or corner you want your door placement to be.

Door Hinge Placement (Outside Looking In)

RHS Door: ☐ L ☐ R

FW Door: ☐ L ☐ R

LHS Door: ☐ L ☐ R



Notes... Anything else you want us to know about your project?

Do Your Own Drawing

You have two ways in which you can use it.

- If you **open the PDF** in Acrobat Reader, it will allow you to fill out the PDF directly using your mouse and keyboard. You can fill it out, left click, click on "save as" (name the document) and [save the document to your desktop](#). Then email us with the saved PDF document as an attachment.
- Alternatively you can **open the PDF**, print the PDF and fill it out manually. If you wanted to do your own drawing you will need to do this anyways. You can then scan your pages or take a picture of each page and email us the attachment (s).



request@homeporchandpatiokits.com



1.705.259.2264